



AIRS Level 2 Status and Team Exercises

Michael Gunson

Jet Propulsion Laboratory

Michael.Gunson@jpl.nasa.gov

Tel: 818 354 2124



AIRS Level 2 Status




- Level 2 PGE is launch ready with only minor liens
 - Convergence of GSFC testbed code and L2_PGE completed by Blaisdell & Barnet
 - QA Support Product implemented by Lee
 - Provides full diagnostic output from L2 PGE
 - Simple data checking performed at beginning of L2_PGE
 - All clear sky tests have been implemented and tested
 - Tuning correction implemented by Olsen and McMillin
 - Off-line bias estimate based on correlative data tested
 - Calculation of tuning correction being updated by McMillin
 - Fixed error in column water vapor and column ozone statistics which were incorrectly calculated in "gstats"





Retrieval Status






Team Exercise



- Team Exercise 10/8 10/19/01
 - Test data access through TDS DOM interface
 - GUI very simple to use while browsing
 - Command line available for direct one-stop shopping
 - Verified document and information support on the web page
 - User guides
 - Data examples and readers
 - Used matchup files to calculate radiance bias estimates
 - Select individual matchups and "golfballs" based on various criteria (clear flags, solar zenith angle, surface type, miss distance and time)
 - Create and fill RTP format suing correlative data (radiosondes) augmented with forecast or retrieved profile
 - Used as driver for forward model tools from UMBC (SARTA) to calculate radiances to determine the bias

AIRS TLSCF MATCH-UP FILE CREATION AND PROCESSING



November 7, 2001 mrg

AIRS L2 Status and Team Exercises








- PREPQC/PREPQCH matchups tested (airx2mat) ~1.4Gb
- ARM/CART matchup (airx2mac) ~7Mb
- Surface marine matchups (airx2msm) ~2Gb
- Synoptic matchups (airx2msy) 1 2Gb
 - Potentially huge due to nature of polar orbit and grid hence limited currently to exclude high latitudes
- Commercial aircraft in situ measurement matchups (airx2mtl) ~100 300Mb
- Extensible to any correlative data
 - Location file is a simple ASCII file, independent of source file
 - Time and resources will limit number of correlative data sources to be supported
 - Focus on ingesting and matching the validation team correlative data sets
- Difficult to iterate no "on-the-fly" processing for new space/time windows
- Note location in TDS
 /dom/files/ops/airs/tlscf/yyyy/mm/esdtname
 (e.g., /dom/file/ops/airs/tlscf/2000/12/airx2mac)






| ESDT | Max Delta Time | Max Distance | Spatial Extent |
|----------|----------------|--------------|-------------------|
| airx2mac | 2 Hours | 50 km | No Limit |
| airx2mat | 3 Hours | 100 km | No Limit |
| airx2msm | 2 Hours | 50 km | No Limit |
| airx2msy | 1 Hour | 20 km | +/- 65.0 Latitude |
| airx2mtl | 0 | 50 km | No Limit |











AIRS L2 Status and Team Exercises






Glorious English Radiosonde














Profile from glorious English radiosonde with extended atmosphere taken from the retrieval for a quick fix.

Updated profile and information in RTP format file.


AIRS L2 Status and Team Exercises




... and the English bias (from SARTA)











AIRS L2 Status and Team Exercises





The Irish Question...






















It's the Union, Jack



File_1: matchup file: /home/eto/R0085/0474/ARS.2000.12.15.T06Z12.Metru_Ro0bs.civ2.2.0.85.4000 — ARS L1B Ros (Avg. if 3+3 Fovs) File_2: traft file: /home/eto/PA085/0474/gdost.001215.106Z.ADPUPA.BetFREPdo.one



What next?



- New V2_2_2 simulation system will be tested before 11/16/01
 - New cloud model, cloud fractions decorrelated between AIRS footprints within AMSU fov, corrected problem of missing lowest cloud layer effect
- Complete minor bug fixes to L2_PGE
- Tire-kicking with TDS to examine robustness of system in December
- Extend system support for new validation data sets from Validation Team
- Test ability to implement simple bias correction estimates
 - End-to-end tests completed successfully based on shifted radiances
 - Develop ability to implement simple bias correction system for any user
- Complete analysis tools for validation and early on-orbit
- Team Exercise?